ELSEVIER

Neuroscience Letters 319 (2002) 180–182

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 319

Abe, K., see Hanyu, H., 33
Ahn, M., see Moon, C., 21
Anavi-Goffer, S., McKay, N.G., Ashford, M.L.J., Coutts, A.A., Vanilloid receptor type 1-immunoreactivity is expressed by intrinsic afferent neurones in the guinea-pig myenteric plexus, 53
Ashford, M.L.J., see Anavi-Goffer, S., 53

Baader, M., see Retz, W., 133
Bäckström, T., see Birzniece, V., 157
Baroni, G., see Pedrocchi, A., 172
Beloosesky, Y., Grinblat, J., Laudon, M., Grosman, B., Streifler, J.Y., Zisapel, N., Melatonin rhythms in stroke patients, 103
Bensafi, M., Rouby, C., Farget, V., Bertrand, B., Vigouroux, M., Holley, A., Influence of affective and cognitive judgments on autonomic parameters during inhalation of pleasant and unpleasant odors in humans, 162
Bertrand, B., see Bensafi, M., 162
Birzniece, V., Johansson, I.-M., Wang, M.-D., Bäckström, T., Olsson, T., Ovarian hormone effects on 5-hydroxytryptamine$_{2A}$ and 5-hydroxytryptamine$_{2C}$ receptor mRNA expression in the ventral hippocampus and frontal cortex of female rats, 157
Blocher, D., see Retz, W., 133
Boadle-Biber, M.C., see Corley, K.C., 1
Boers, J., Klop, E.M., Hulshoff, A.C., de Weerd, H., Holstege, G., Direct projections from the nucleus retroambiguus to cricothyroid motoneurons in the cat, 5
Braus, D.F., see Hubrich-Ungureanu, P., 91
Bravo, G., Hong, E., Rojas, G., Guízar-Sahagún, G., Sympathetic blockade significantly improves cardiovascular alterations immediately after spinal cord injury in rats, 95
Bruhwyler, J., see Liégeois, J.-F., 49

Castellani, R.J., Perry, G., Siedlak, S.L., Nunomura, A., Shimohama, S., Zhang, J., Montine, T., Sayre, L.M., Smith, M.A., Hydroxynonenal adducts indicate a role for lipid peroxidation in neocortical and brainstem Lewy bodies in humans, 25
Chen, C., Yu, L., Zhang, P., Jiang, J., Zhang, Y., Chen, X., Wu, Q., Wu, Q., Zhao, S., Human neuronal calcium sensor-1 shows the highest expression level in cerebral cortex, 67
Chen, X., see Chen, C., 67
Chen, X.-Q., see Zhang, Y.-H., 107
Chung, J.-H., see Park, H.-J., 141
Chung, J.-H., see Park, H.-J., 153
Church, J., McLarnon, J.G., Tedisamil blocks BK-type Ca^{2+}-dependent K^+ channels and modulates action potentials in rat hippocampal neurons, 79
Collingridge, G.L., see Morton, R.A., 37
Corley, K.C., Phan, T.-H., Daugherty, W.P., Boadle-Biber, M.C., Stress-induced activation of median raphe serotonergic neurons in rats is potentiated by the neurotensin antagonist, SR 48692, 1
Coutts, A.A., see Anavi-Goffer, S., 53

d'Alfonso, A.A.L., see van Honk, J., 99
Damas, J., see Liégeois, J.-F., 49
Daugherty, W.P., see Corley, K.C., 1
de Haan, E.H.F., see van Honk, J., 99
de Weerd, H., see Boers, J., 5
Delarge, J., see Liégeois, J.-F., 49
Díaz-Ruiz, A., Ibarra, A., Pérez-Severiano, F., Guízar-Sahagún, G., Grijalva, I., Ríos, C., Constitutive and inducible nitric oxide synthase activities after spinal cord contusion in rats, 129
Ding, Y., see Han, S., 29

Farget, V., see Bensafi, M., 162
Ferrigno, G., see Pedrocchi, A., 172
Fitzjohn, S.M., see Morton, R.A., 37
Fujibayashi, Y., see Maruoka, N., 83

Gale, K., see Kondratyev, A., 145
Gil-Loyzaga, P., see Vicente-Torres, M.A., 177
Grijalva, I., see Díaz-Ruiz, A., 129
Grinblat, J., see Beloosesky, Y., 103
Grosman, B., see Beloosesky, Y., 103
Guízar-Sahagún, G., see Bravo, G., 95
Guízar-Sahagún, G., see Díaz-Ruiz, A., 129

Han, S., Ding, Y., Song, Y., Neural mechanisms of perceptual grouping in humans as revealed by high density event related potentials, 29
Hanyu, H., Tanaka, Y., Sakurai, H., Takasaki, M., Abe, K., Atrophy of the substantia innominata on magnetic resonance imaging and response to donepezil treatment in Alzheimer's disease, 33
Hara, Y., see Katayama, Y., 63
Hayes, E., see King, C., 111
Hendrick, J.-C., see Liégeois, J.-F., 49
Henn, F.A., see Hubrich-Ungureanu, P., 91
Hermans, E.J., see van Honk, J., 99
Hirai, K., see Katayama, Y., 63
Holley, A., see Bensafi, M., 162
Holstege, G., see Boers, J., 5
Homma, T., see Katayama, Y., 63
Hong, E., see Bravo, G., 95
Hu, G.-Y., see Zhang, Y.-H., 107
Hubrich-Ungureanu, P., Kaemmerer, N., Henn, F.A., Braus, D.F., Lateralized organization of the cerebellum in a silent verbal fluency task: a functional magnetic resonance imaging study in healthy volunteers, 91
Hulsebosch, C.E., see Mills, C.D., 59
Hulshoff, A.C., see Boers, J., 5

Ibarra, A., see Díaz-Ruiz, A., 129
Ifuku, H., Ohgushi, M., Ito, S., Ogawa, H., Neurons associated with beha-

PII: S0304-3940(02)00103-9

vioral context errors in the primary and higher-order gustatory cortices in the monkey, 121
Ilic, T.V., Korchounov, A., Ziemann, U., Complex modulation of human motor cortex excitability by the specific serotonin re-uptake inhibitor sertraline, 116
Ishiura, S., see Suo, S., 13
Ito, S., see Ifuku, H., 121

Jiang, J., see Chen, C., 67
Jin, Y.-Z., see Kim, M.S., 9
Johansson, I.-M., see Birzniece, V., 157
Jung, S.-C., see Son, Y.-S., 45

Kaemmerer, N., see Hubrich-Ungureanu, P., 91
Kang, J., see Moon, C., 21
Katayama, Y., Homma, T., Hara, Y., Hirai, K., Tea catechin, (−)-epigallocatechin gallate, facilitates cholinergic ganglion transmission in the myenteric plexus of the guinea-pig small intestine, 63
Ki, C.-S., Na, D.L., Kim, D.K., Kim, H.J., Kim, J.-W., Genetic association of an apolipoprotein C-I (APOC1) gene polymorphism with late-onset Alzheimer's disease, 75
Kim, D.K., see Ki, C.-S., 75
Kim, E.-H., see Park, H.-J., 141
Kim, H.-C., see Park, H.-J., 141
Kim, H.J., see Ki, C.-S., 75
Kim, J.H., see Kim, M.S., 9
Kim, J.-W., see Ki, C.-S., 75
Kim, M.S., Kim, J.H., Jin, Y.-Z., Kry, D., Park, B.R., Temporal changes of cFos-like protein expression in medial vestibular nuclei following arsanilate-induced unilateral labyrinthectomy in rats, 9
Kim, S.A., see Park, H.-J., 141
Kim, S.A., see Park, H.-J., 153
King, C., Warrier, C.M., Hayes, E., Kraus, N., Deficits in auditory brainstem pathway encoding of speech sounds in children with learning problems, 111
Klop, E.M., see Boers, J., 5
Kondratyev, A., Selby, D., Gale, K., Status epilepticus leads to the degradation of the endogenous inhibitor of caspase-activated DNase in rats, 145
Korchounov, A., see Ilic, T.V., 116
Kostopoulos, G., see Papatheodoropoulos, C., 17
Kraus, N., see King, C., 111
Kry, D., see Kim, M.S., 9
Kuenzi, F.M., see Morton, R.A., 37
Kwon, O.-B., see Son, Y.-S., 45

Laudon, M., see Beloosesky, Y., 103
Lee, H.J., see Park, H.-J., 141
Lee, H.-J., see Park, H.-J., 141
Lee, H.J., see Park, H.-J., 153
Lee, H.-J., see Park, H.-J., 153
Lee, H.-S., see Park, H.-J., 141
Lee, H.-S., see Park, H.-J., 153
Leem, K., see Park, H.-J., 141
Legros, J.-J., see Liégeois, J.-F., 49
Liégeois, J.-F., Bruhwyler, J., Hendrick, J.-C., Delarge, J., Legros, J.-J., Damas, J., Minimal effects of JL 13, a pyridobenzoxazepine derivative with an antipsychotic potential, on circulating prolactin levels in male rats, 49
Lim, S., see Park, H.-J., 141
Lim, S., see Park, H.-J., 153
Lim, S., see Son, Y.-S., 45

Ma, Q.-P., Expression of capsaicin receptor (VR1) by myelinated primary afferent neurons in rats, 87
Maruoka, N., Murata, T., Omata, N., Fujibayashi, Y., Yonekura, Y., Wada, Y., Hypoxic tolerance induction in rat brain slices following 3-nitropropionic acid pretreatment as revealed by dynamic changes in glucose metabolism, 83
Massion, J., see Pedrocchi, A., 172
McKay, N.G., see Anavi-Goffer, S., 53
McLarnon, J.G., see Church, J., 79
Miletic, G., Miletic, V., Increases in the concentration of brain derived neurotrophic factor in the lumbar spinal dorsal horn are associated with pain behavior following chronic constriction injury in rats, 137
Miletic, V., see Miletic, G., 137
Mills, C.D., Hulsebosch, C.E., Increased expression of metabotropic glutamate receptor subtype 1 on spinothalamic tract neurons following spinal cord injury in the rat, 59
Moller, A.R., Rollins, P.R., The non-classical auditory pathways are involved in hearing in children but not in adults, 41
Montine, T., see Castellani, R.J., 25
Moon, C., Terashima, S.-i., Ahn, M., Kang, J., Shin, T., Immunohistochemical analysis of neuronal nitric oxide synthase in the trigeminal ganglia of the crotaline snake *Trimeresurus flavoviridis*, 21
Morton, R.A., Kuenzi, F.M., Fitzjohn, S.M., Rosahl, T.W., Smith, D., Zheng, H., Shearman, M., Collingridge, G.L., Seabrook, G.R., Impairment in hippocampal long-term potentiation in mice under-expressing the Alzheimer's disease related gene presenilin-1, 37
Mouchnino, L., see Pedrocchi, A., 172
Murata, T., see Maruoka, N., 83

Na, D.L., see Ki, C.-S., 75
Nowak, J.Z., see Zawilska, J.B., 149
Nunomura, A., see Castellani, R.J., 25

Ogawa, H., see Ifuku, H., 121
Ohgushi, M., see Ifuku, H., 121
Olivier, I., Rival, C., Foreperiod duration and motor preparation during childhood, 125
Olsson, T., see Birzniece, V., 157
Omata, N., see Maruoka, N., 83

Papatheodoropoulos, C., Kostopoulos, G., Spontaneous $GABA_A$-dependent synchronous periodic activity in adult rat ventral hippocampal slices, 17
Papka, R.E., Storey-Workley, M., Estrogen receptor-α and -β coexist in a subpopulation of sensory neurons of female rat dorsal root ganglia, 71
Park, B.R., see Kim, M.S., 9
Park, H.-J., Lee, H.-S., Lee, H.-J., Yoo, Y.-M., Lee, H.J., Kim, S.A., Leem, K., Kim, H.-C., Seo, J.-C., Kim, E.-H., Lim, S., Chung, J.-H., Decrease of the electroacupuncture-induced analgesic effects in nuclear factor-kappa B1 knockout mice, 141
Park, H.-J., Lim, S., Lee, H.-S., Lee, H.-J., Yoo, Y.-M., Lee, H.J., Kim, S.A., Yin, C.-S., Seo, J.-C., Chung, J.-H., Acupuncture enhances cell proliferation in dentate gyrus of maternally-separated rats, 153
Park, H.-J., see Son, Y.-S., 45
Pedotti, A., see Pedrocchi, A., 172
Pedrocchi, A., Baroni, G., Mouchnino, L., Ferrigno, G., Pedotti, A., Massion, J., Absence of center of mass control for leg abduction in long-term weightlessness in humans, 172
Pérez-Severiano, F., see Díaz-Ruiz, A., 129
Perry, G., see Castellani, R.J., 25

Phan, T.-H., see Corley, K.C., 1
Przybysz, M., see Zawilska, J.B., 149

Retz, W., Thome, J., Blocher, D., Baader, M., Rösler, M., Association of attention deficit hyperactivity disorder-related psychopathology and personality traits with the serotonin transporter promoter region polymorphism, 133
Ríos, C., see Díaz-Ruiz, A., 129
Rival, C., see Olivier, I., 125
Rojas, G., see Bravo, G., 95
Rollins, P.R., see Moller, A.R., 41
Rosahl, T.W., see Morton, R.A., 37
Rösler, M., see Retz, W., 133
Rouby, C., see Bensafi, M., 162

Sakurai, H., see Hanyu, H., 33
Sasagawa, N., see Suo, S., 13
Sayre, L.M., see Castellani, R.J., 25
Schutter, D.J.L.G., see van Honk, J., 99
Seabrook, G.R., see Morton, R.A., 37
Selby, D., see Kondratyev, A., 145
Seo, J.-C., see Park, H.-J., 141
Seo, J.-C., see Park, H.-J., 153
Shearman, M., see Morton, R.A., 37
Shimohama, S., see Castellani, R.J., 25
Shin, H.-C., see Son, Y.-S., 45
Shin, T., see Moon, C., 21
Siedlak, S.L., see Castellani, R.J., 25
Smith, D., see Morton, R.A., 37
Smith, M.A., see Castellani, R.J., 25
Sneddon, L.U., Anatomical and electrophysiological analysis of the trigeminal nerve in a teleost fish, *Oncorhynchus mykiss*, 167
Son, Y.-S., Park, H.-J., Kwon, O.-B., Jung, S.-C., Shin, H.-C., Lim, S., Antipyretic effects of acupuncture on the lipopolysaccharide-induced fever and expression of interleukin-6 and interleukin-1β mRNAs in the hypothalamus of rats, 45
Song, Y., see Han, S., 29
Storey-Workley, M., see Papka, R.E., 71
Streifler, J.Y., see Beloosesky, Y., 103
Suo, S., Sasagawa, N., Ishiura, S., Identification of a dopamine receptor from *Caenorhabditis elegans*, 13

Takasaki, M., see Hanyu, H., 33
Tanaka, Y., see Hanyu, H., 33
Terashima, S.-i., see Moon, C., 21
Thome, J., see Retz, W., 133

van Doornen, L., see van Honk, J., 99
van Honk, J., Hermans, E.J., d'Alfonso, A.A.L., Schutter, D.J.L.G., van Doornen, L., de Haan, E.H.F., A left-prefrontal lateralized, sympathetic mechanism directs attention towards social threat in humans: evidence from repetitive transcranial magnetic stimulation, 99
Vicente-Torres, M.A., Gil-Loyzaga, P., Age- and gender-related changes in the cochlear sympathetic system of the rat, 177
Vigouroux, M., see Bensafi, M., 162

Wada, Y., see Maruoka, N., 83
Wang, M.-D., see Birzniece, V., 157
Wang, Y., see Zhang, Y.-H., 107
Warrier, C.M., see King, C., 111
Wu, Q., see Chen, C., 67
Wu, Q., see Chen, C., 67

Yang, H.-H., see Zhang, Y.-H., 107
Yin, C.-S., see Park, H.-J., 153
Yonekura, Y., see Maruoka, N., 83
Yoo, Y.-M., see Park, H.-J., 141
Yoo, Y.-M., see Park, H.-J., 153
Yu, L., see Chen, C., 67

Zalewska-Kaszubska, J., see Zawilska, J.B., 149
Zawilska, J.B., Zalewska-Kaszubska, J., Przybysz, M., Nowak, J.Z., Characterization of histamine H_2-like receptors in duck cerebral cortical membranes by [^{3}H]tiotidine binding, 149
Zhang, J., see Castellani, R.J., 25
Zhang, P., see Chen, C., 67
Zhang, Y., see Chen, C., 67
Zhang, Y.-H., Zhao, X.-Y., Chen, X.-Q., Wang, Y., Yang, H.-H., Hu, G.-Y., Spermidine antagonizes the inhibitory effect of huperzine A on [^{3}H]dizocilpine (MK-801) binding in synaptic membrane of rat cerebral cortex, 107
Zhao, S., see Chen, C., 67
Zhao, X.-Y., see Zhang, Y.-H., 107
Zheng, H., see Morton, R.A., 37
Ziemann, U., see Ilic, T.V., 116
Zisapel, N., see Beloosesky, Y., 103